

CancerPACTS



Cancer Patients Alliance for Clinical Trials
and Survivorship

Listing of Cancer Clinical Trials Silicon Valley area of California Summer / Fall 2011

Solid Tumors

1. Breast	2
2. Central Nervous System	3
3. Gastrointestinal	3
4. Gynecologic	5
5. Head and Neck	6
6. Lung	6
7. Melanoma	7
8. Prostate	8
9. Urologic	8

Hematologic Cancers

1. Leukemia	9
2. Lymphoma	10
3. Myeloma	11

Other	11
--------------------	----

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFI ZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

Solid Tumors

1. Breast Cancer

1. NCT00070564 - Phase III Trial of Adjuvant Doxorubicin, Cyclophosphamide, and Paclitaxel in Treating Patients with Breast Cancer (ECH, VMO)
2. **NCT00103181 - Phase III Trial using Radiation Therapy in Treating Women who have Undergone Surgery For Ductal Carcinoma In Situ or Stage I or Stage II Breast Cancer (KP, STANFORD)**
3. NCT00382018 - Phase III Study of Treatment Decision Making Based on Blood Levels of Tumor Cells in Women with Metastatic Breast Cancer Receiving Chemotherapy (ECH, PAMF, STANFORD)
4. **NCT00490139 - Phase III ALTTO (Adjuvant Lapatinib And/Or Trastuzumab Treatment Optimisation) Study; BIG 2-06/N063D (GSK)**
5. NCT00601900 - Phase III Study of Tamoxifen or Letrozole with or without Bevacizumab in Treating Women with Stage III or Stage IV Breast Cancer (ECH, VMO)
6. **NCT00769379 - Phase III Study using Radiation Therapy with or without Trastuzumab in Treating Women with Ductal Carcinoma In Situ who have Undergone Lumpectomy (ECH, KP, PAMF, VMO, WTH)**
7. NCT00770809 - Phase III Trial using Paclitaxel and Trastuzumab with or without Lapatinib in Treating Patients with Stage II or Stage III Breast Cancer that can be Removed by Surgery (ECH, PAMF, VMO)
8. **NCT00785291 - Phase III Trial using Paclitaxel, Paclitaxel Albumin-Stabilized Nanoparticle Formulation with or without Bevacizumab in Treating Patients with Stage IIIC or Stage IV Breast Cancer (EMH, KP, VMO)**
9. NCT00829166 - Phase III Open-Label Study of Trastuzumab-MCC-DM1 (T-DM1) vs. Capecitabine + Lapatinib in Patients with HER2-Positive Locally Advanced or Metastatic Breast Cancer
10. **NCT00887536 - Phase III Clinical Trial Comparing the Combination of TC Plus Bevacizumab to TC alone and to TAC for Women with Node-Positive or High-Risk Node-Negative, HER2-Negative Breast Cancer (KP, STANFORD)**
11. NCT01242800 - Phase III Trial using Early Surgery or Standard Palliative Therapy in Treating Patients with Stage IV Breast Cancer (ECH)
12. **NCT01272037 - Phase III Trial using Tamoxifen Citrate, Letrozole, Anastrozole, or Exemestane with or without Chemotherapy in Treating Patients with Invasive RxPONDER Breast Cancer (ECH, VMO, WTH)**
13. NCT01275677 - Phase III Trial using Chemotherapy with or without Trastuzumab after Surgery in Treating Women with Invasive Breast Cancer (ECH, KP, STANFORD, VMO)
14. **NCT00403130 - Phase II Gemzar, Taxol & Avastin Combination as First Line Treatment for Metastatic Breast Cancer (STANFORD)**

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

15. NCT00684983 - Phase II Study of Capecitabine and Lapatinib with or without Cixutumumab in Treating Patients with Previously Treated HER2-Positive Stage IIIB, Stage IIIC, or Stage IV Breast Cancer (ECH, PAMF, VMO)
16. **NCT00813956 - Phase II Study of Standard Chemotherapy Plus BSI-201 (a PARP Inhibitor) in the Neoadjuvant Treatment of Triple Negative Breast Cancer (STANFORD)**
17. NCT00856492 - Phase II Trial of Paclitaxel Albumin-Stabilized Nanoparticle Formulation, Doxorubicin, Cyclophosphamide, and Pegfilgrastim with or without Bevacizumab in Treating Women with Inflammatory or Locally Advanced Breast Cancer (ECH, VMO)
18. **NCT00861705 - Phase II Study using Paclitaxel with or without Carboplatin and/or Bevacizumab Followed by Doxorubicin and Cyclophosphamide in Treating Patients with Breast Cancer that can be Removed by Surgery (ECH, PAMF, VMO)**
19. NCT00979212 - Phase II Trial of Chemotherapy and Radiation Therapy with or without Panitumumab in Treating Patients with Stage IIIA Non-Small Cell Lung Cancer (Cetuximab Closed as of 05/14/10) (STANFORD)
20. **NCT01256762 - Phase II Trial of Imetelstat in Combination with Paclitaxel (with or without Bevacizumab) in Patients with Locally Recurrent or Metastatic Breast Cancer (SBOH)**

2. Central Nervous System Tumors

1. NCT00377156 - Phase III Study of Stereotactic Radiation Therapy with or without Whole-Brain Radiation Therapy in Treating Patients with Brain Metastases (KP)
2. **NCT00887146 - Phase III Study using Radiation Therapy or Radiation Therapy and Temozolomide or Temozolomide Alone in Treating Patients with Newly Diagnosed Anaplastic Glioma (KP)**
3. NCT01268566 - Phase II Study of MEDI-575 in Subjects with Recurrent Glioblastoma Multiforme (STANFORD)
4. **NCT01285414 - Phase II Trial using Verubulin, Radiation Therapy, and Temozolomide to Treat Patients with Newly Diagnosed Glioblastoma Multiforme (STANFORD)**
5. NCT00928226 - Phase I/II Study of Fractionated Stereotactic Radiosurgery to Treat Large Brain Metastases (STANFORD)
6. **NCT01120639 - Phase II/I Trial of PI/II of Temozolomide & Hypofractionated Radiotherapy in Tx of Supratentorial Glioblastoma Multiform (STANFORD)**

3. Gastrointestinal Cancers

A. Colorectal Cancer

1. NCT00265850 - Phase III Trial using Cetuximab and/or Bevacizumab Combined with Combination Chemotherapy in Treating Patients with Metastatic Colorectal Cancer (PAMF, ECH, KP, VMO)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

2. **NCT01011478 - Phase III Trial using Rosuvastatin in Treating Patients with Stage I or Stage II Colon Cancer that was Removed by Surgery (ECH, KP, STANFORD, VMO)**
3. NCT01099449 - Phase III Study of Calcium Gluconate and Magnesium Sulfate in Preventing Neurotoxicity in Patients with Colon Cancer or Rectal Cancer Receiving Oxaliplatin-Based Combination Chemotherapy (KP)
4. **NCT01150045 - Phase III Trial using Oxaliplatin, Leucovorin Calcium, and Fluorouracil with or without Celecoxib in Treating Patients with Stage III Colon Cancer Previously Treated with Surgery (ECH, KP, PAMF, VMO)**
5. NCT01189227 - Phase III Trial using Combination Chemotherapy before or after Surgery in Treating Patients with Colorectal Cancer with Liver Metastases that could be Removed by Surgery (KP)

B. Esophageal Cancer

1. NCT01196390 - Phase III Trial of Radiation Therapy, Paclitaxel, and Carboplatin with or without Trastuzumab in Treating Patients with Esophageal Cancer
2. **NCT00780494 - Phase II Study of Capecitabine, Carboplatin & Bevacizumab for Gastroesophageal Junction & Gastric Carcinoma (STANFORD)**
3. NCT01142388 - Phase II Trial using Paclitaxel with or without Cixutumumab as Second-Line Therapy in Treating Patients with Metastatic Esophageal Cancer or Gastroesophageal Junction Cancer (STANFORD)

C. Pancreatic Cancer

1. NCT01012649 - Phase III Trial of Gemcitabine Hydrochloride with or without Erlotinib Hydrochloride Followed by the Same Chemotherapy Regimen with or without Radiation Therapy and Capecitabine or Fluorouracil in Treating Patients with Pancreatic Cancer that has been Removed by Surgery
2. **NCT01072981 - Phase III Immunotherapy Study for Surgically Resected Pancreatic Cancer (STANFORD)**
3. NCT01146054 - Phase II Gemcitabine + Fractionated Stereotactic Radiotherapy for Unresectable Pancreatic Adenocarcinoma (STANFORD)
4. **NCT01229943 - Phase II Study of Everolimus and Octreotide with or without Bevacizumab in Treating Patients with Locally Advanced or Metastatic Pancreatic Neuroendocrine Tumors that cannot be Removed by Surgery (STANFORD)**
5. NCT01181245 - Phase 1 Study of Safety and Bioactivity with FG-3019 in Combination with Gemcitabine and Erlotinib for Subjects with Locally Advanced or Metastatic Pancreatic Cancer (STANFORD)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

4. Gynecologic Cancers

A. Ovarian / Peritoneal Cancer

1. NCT00108745 - Phase III Study using Paclitaxel or Polyglutamate Paclitaxel or Observation in Treating Patients with Stage III or Stage IV Ovarian Epithelial or Peritoneal Cancer or Fallopian Tube Cancer (PAMF)
2. **NCT00565851 - Phase III Trial using Carboplatin and Paclitaxel with or without Bevacizumab after Surgery in Treating Patients with Recurrent Ovarian Epithelial Cancer, Primary Peritoneal Cavity Cancer, or Fallopian Tube Cancer (PAMF, STANFORD)**
3. NCT00951496 - Phase III Trial of Bevacizumab and Intravenous or Intraperitoneal Chemotherapy in Treating Patients with Stage II, Stage III, or Stage IV Ovarian Epithelial Cancer, Fallopian Tube Cancer, or Primary Peritoneal Cancer (PAMF, STANFORD)
4. **NCT01167712 - Phase III Study of Paclitaxel and Carboplatin with or without Bevacizumab in Treating Patients with Stage II, Stage III, or Stage IV Ovarian Epithelial Cancer, Primary Peritoneal Cancer, or Fallopian Tube Cancer (ECH, KP, STANFORD, VMO)**
5. NCT01170650 - Phase III Study for Women with Platinum Resistant Ovarian Cancer Evaluating EC145 in Combination with Doxil (PROCEED) (STANFORD)
6. **NCT00857545 - Phase II Study of OPT-821 with or without Vaccine Therapy in Treating Patients with Ovarian Epithelial Cancer, Fallopian Tube Cancer, or Peritoneal Cancer in Second or Third Complete Remission (STANFORD)**
7. NCT01068509 - Phase II Study of an Ovarian Cancer Vaccine for Patients in Remission (STANFORD)

B. Uterine /Cervical Cancer

1. NCT00803062 - Phase III Trial of Paclitaxel and Cisplatin or Topotecan with or without Bevacizumab in Treating Patients with Stage IVB, Recurrent, or Persistent Cervical Cancer (PAMF, STANFORD)
2. **NCT00807768 - Phase III Trial with Pelvic Radiation Therapy or Vaginal Implant Radiation Therapy, Paclitaxel, and Carboplatin in Treating Patients with High-Risk Stage I or Stage II Endometrial Cancer (KP, PAMF)**
3. NCT00942357 - Phase III Study of Carboplatin and Paclitaxel with or without Cisplatin and Radiation Therapy in Treating Patients with Stage I, Stage II, Stage III, or Stage IVA Endometrial Cancer (PAMF)
4. **NCT00954174 - Phase III Study of Paclitaxel and Carboplatin or Ifosfamide in Treating Patients with Newly Diagnosed Persistent or Recurrent Uterine or Ovarian Cancer (PAMF)**
5. NCT01012297 - Phase III Study of Gemcitabine Hydrochloride and Docetaxel with or without Bevacizumab in Treating Patients with Advanced or Recurrent Uterine Leiomyosarcoma (PAMF)
6. **NCT00977574 - Phase II Study of Paclitaxel, Carboplatin, and Bevacizumab or Paclitaxel, Carboplatin, and Temozolomide or Ixabepilone, Carboplatin, and Bevacizumab in Treating Patients with Stage III, Stage IV, or Recurrent Endometrial Cancer (PAMF)**

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

5. Head & Neck Cancer

1. NCT00588770 - Phase III Trial using Chemotherapy with or without Bevacizumab in Treating Patients with Recurrent or Metastatic Head and Neck Cancer (ECH, STANFORD, VMO, WAMC)
2. **NCT00956007 - Phase III Trial of Radiation Therapy with or without Cetuximab in Treating Patients who have Undergone Surgery for Locally Advanced Head and Neck Cancer (STANFORD)**
3. NCT00490061 - Phase II Lapatinib and Radiation for Stage III-IV Head and Neck Cancer Patients who cannot Tolerate Concurrent Chemotherapy (STANFORD)
4. **NCT00896181 - Phase II Study of Sequential and Concurrent Chemoradiation for Advanced Nasopharyngeal Carcinoma (NPC) (STANFORD)**
5. NCT01084083 - Phase II Trial using Paclitaxel, Cisplatin, and Cetuximab Followed by Cetuximab and Intensity-Modulated Radiation Therapy in Treating Patients with HPV-Associated Stage III or Stage IV Cancer of the Oropharynx that can be Removed by Surgery (STANFORD, VAMC)
6. **NCT01163487 - Phase I Trial of Metabolic Reprogramming Therapy for Treatment of Recurrent Head and Neck Cancers (STANFORD)**

6. Lung

1. NCT00324805 - Phase III Trial using Chemotherapy with or without Bevacizumab in Treating Patients with Stage IB, Stage II, or Stage IIIA Non-Small Lung Cancer that was Removed by Surgery (PAMF, ECH, KP, STANFORD, VMO)
2. **NCT00480025 - Phase III Study of GSK1572932A Antigen-Specific Cancer Immunotherapeutic as Adjuvant Therapy in Patients with Non-Small Cell Lung Cancer (GSK)**
3. NCT00499330 - Phase III Comparison Study of Different Types of Surgery in Treating Patients with Stage IA Non-Small Cell Lung Cancer (STANFORD)
4. **NCT00533949 - Phase III Study of High-Dose or Standard-Dose Radiation Therapy and Chemotherapy with or without Cetuximab in Treating Patients with Newly Diagnosed Stage III Non-Small Cell Lung Cancer that cannot be Removed by Surgery (STANFORD)**
5. NCT00551733 - Phase III Study of Carboplatin with Either Paclitaxel Poliglumex or Paclitaxel in Treating Women with Stage IIIB, Stage IV, or Recurrent Non-Small Cell Lung Cancer (STANFORD)
6. **NCT00632853 - Phase III Trial using Three Different Radiation Therapy Regimens in Treating Patients with Limited-Stage Small Cell Lung Cancer Receiving Cisplatin and Etoposide (ECH, KP, STANFORD)**
7. NCT00693992 - Phase III Study using Sunitinib as Maintenance Therapy in Treating Patients with Stage III or Stage IV Non-Small Cell Lung Cancer Previously Treated with Combination Chemotherapy (ECH, PAMF, VMO)
8. **NCT00840749 - Phase III Randomized Study to Compare CyberKnife to Surgical Resection in Stage I Non-Small Cell Lung Cancer (STANFORD)**

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

9. NCT00946712 - Phase III Study of Carboplatin and Paclitaxel with or without Bevacizumab and/or Cetuximab in Treating Patients with Stage IV or Recurrent Non-Small Cell Lung Cancer (ECH, VMO)
10. NCT01107626 - Phase III Trial of Bevacizumab or Pemetrexed Disodium Alone or in Combination **after Induction Therapy in Treating Patients with Advanced Non-Squamous Non-Small Cell Lung Cancer (STANFORD)**
11. NCT01336894 - Phase III Study using Surgery with or without Internal Radiation Therapy Compared with Stereotactic Body Radiation Therapy in Treating Patients with High-Risk Stage I Non-Small Cell Lung Cancer (STANFORD)
12. **NCT00436332 - Phase II Study of Erlotinib and Bevacizumab in Treating Patients with Stage III or Stage IV Non-Small Cell Lung Cancer (KP)**
13. NCT00553462 - Phase II Study of Carboplatin and Paclitaxel Albumin-Stabilized Nanoparticle Formulation Followed by Radiation Therapy and Erlotinib in Treating Patients with Stage III Non-Small Cell Lung Cancer that cannot be Removed by Surgery (ECH, PAMF, VMO)
14. **NCT00567359 - Phase II Study of Erlotinib in Patients with Resected, Early Stage NSCLC with Confirmed Mutations in the EGFR (STANFORD)**
15. NCT00643318 - Phase II Study using CyberKnife Radiosurgical Treatment of Inoperable Early Stage Non-Small Cell Cancer (STANFORD)
16. **NCT00661193 - Phase II Study of Erlotinib with or without Carboplatin and Paclitaxel in Treating Patients with Stage IIIB or Stage IV Non-Small Cell Lung Cancer (KP)**
17. NCT00698815 - Phase II Trial of Pemetrexed and/or Sunitinib as Second-Line Therapy in Treating Patients with Stage IIIB or Stage IV Non-Small Cell Lung Cancer (ECH, VMO)
18. **NCT00887159 - Phase II Trial of Cisplatin and Etoposide Phosphate with or without GDC-0449 or Cixutumumab in Treating Patients with Extensive-Stage Small Cell Lung Cancer (STANFORD)**
19. NCT00932451 - Phase II Study of the Investigational Drug, PF-02341066, Being Studied In Patients with Advanced Non-Small Cell Lung Cancer with a Specific Gene Profile Involving the Anaplastic Lymphoma Kinase (ALK) Gene (PFIZER)
20. **NCT01138163 - Phase II Study of Baviximab Plus Docetaxel in Patients with Locally Advanced or Metastatic Non-Squamous Non Small-Cell Lung Cancer (SBHO)**
21. NCT00453154 - Phase II/I Study of Cisplatin or Carboplatin, and Etoposide with or without Sunitinib in Treating Patients with Extensive-Stage Small Cell Lung Cancer (ECH, VMO)
22. **NCT00946673 - Phase I Vorinostat Concurrent With Stereotactic Radiosurgery (SRS) in Brain Metastases From Non-Small Cell Lung Cancer (STANFORD)**

7. Melanoma

1. NCT01108094 - Phase II Pilot Biomarker Trial to Evaluate the Efficacy of Itraconazole in Patients with Basal Cell Carcinomas (STANFORD)
2. **NCT01201915 - Phase II Study Evaluating the Efficacy and Safety of GDC-0449 in Operable Basal Cell Carcinoma (BCC)**

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

8. Prostate Cancer

1. NCT00063882 - Phase III Study of Interstitial Brachytherapy with or without External-Beam Radiation Therapy in Treating Patients with Prostate Cancer (ECH, KP, VMO)
2. **NCT00567580 - Phase III Trial using Prostate Radiation Therapy or Short-Term Androgen Deprivation Therapy and Pelvic Lymph Node Radiation Therapy with or without Prostate Radiation Therapy in Treating Patients with a Rising PSA after Surgery for Prostate Cancer (ECH, PAMF, VMO, WTH)**
3. NCT00988208 - Phase III Study to Evaluate Safety and Effectiveness of Lenalidomide in Combination with Docetaxel and Prednisone for Patients with Castrate-Resistant Prostate Cancer (STANFORD)
4. **NCT01212991 - Phase III Safety and Efficacy Study of Oral MDV3100 in Chemotherapy-Naive Patients with Progressive Metastatic Prostate Cancer (STANFORD)**
5. NCT01194960 - Phase II Study of TroVax in Subjects with Hormone Refractory Prostate Cancer (HRPC) (STANFORD)
6. **NCT01020305 - Phase II/I Trial using Tamsulosin to Reverse Androgen Insensitivity for Castration-Resistant Prostate Cancer (STANFORD)**
7. NCT01155791 - Phase I Study of Sodium Selenite in Combination with Docetaxel in Castration-Resistant Prostate Cancer (STANFORD)

9. Urologic Cancers (other)

A. Bladder

1. NCT01108055 - Phase II Trial using Pazopanib in Combination with Weekly Paclitaxel in Refractory Urothelial Cancer (STANFORD)

B. Kidney Cancer

1. NCT00942331 - Phase III Trial using Gemcitabine Hydrochloride and Cisplatin with or without Bevacizumab in Treating Patients with Advanced Urinary Tract Cancer (ECH, PAMF, STANFORD, VMO)
2. **NCT01120249 - Phase III Study using Everolimus in Treating Patients with Kidney Cancer who have Undergone Surgery (ECH, VMO, WTH)**
3. NCT01198158 - Phase III Trial using Everolimus with or without Bevacizumab in Treating Patients with Advanced Kidney Cancer that Progressed after First-Line Therapy (ECH, KP, VMO)
4. **NCT01223027 - Phase III Study of TKI258 vs. Sorafenib in Patients with Metastatic Renal Cell Carcinoma (STANFORD)**
5. NCT01235962 - Phase III Study to Evaluate Pazopanib as an Adjuvant Treatment for Localized Renal Cell Carcinoma (RCC) (GSK)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

6. **NCT00651482 - Phase II Treatment of Refractory Metastatic Renal Cell Carcinoma with Bevacizumab and RADOO1 (STANFORD)**
7. NCT01164228 - Phase II Trial of Sunitinib Malate with or without Gemcitabine Hydrochloride in Treating Patients with Advanced Kidney Cancer that cannot be Removed by Surgery (STANFORD)

Hematologic Cancers

1. Leukemia

1. NCT00766116 - Phase III Trial of the Combination 5-Azacitidine and Gemtuzumab Ozogamicin Therapy for Treatment of Relapsed Acute Myeloid Leukemia (AML) (STANFORD)
2. **NCT00774345 - Phase III Study to Evaluate the Efficacy and Safety of Lenalidomide as Maintenance Therapy for Patients with B-Cell CLL Following Second Line Therapy (THE CONTINUUM TRIAL) (STANFORD)**
3. NCT00313586 - Phase II Trial using Azacitidine with or without Entinostat in Treating Patients with Myelodysplastic Syndromes, Chronic Myelomonocytic Leukemia, or Acute Myeloid Leukemia (STANFORD)
4. **NCT00520208 - Phase II Safety, Efficacy, & Pharmacokinetic Study of Tamibarotene to Treat Patients With Relapsed or Refractory Acute Promyelocytic Leukemia (APL) (STANFORD)**
5. NCT00602459 - Phase II Trial using Fludarabine and Rituximab with or without Lenalidomide or Cyclophosphamide in Treating Patients with Symptomatic Chronic Lymphocytic Leukemia (ECH, PAMF)
6. **NCT00782067 - Phase II Efficacy and Safety Study of Midostaurin in Patients with Aggressive Systemic Mastocytosis or Mast Cell Leukemia (STANFORD)**
7. NCT00963105 - Phase II Study of Lenalidomide to Evaluate Safety and Efficacy in Patients with Relapsed or Refractory Chronic Lymphocytic Leukemia (STANFORD)
8. **NCT01162031 - Phase II Study of VELCADE for Relapsed or Refractory T-Cell Prolymphocytic Leukemia (STANFORD)**
9. NCT01401322 - Phase II Study of Single Agent Lenalidomide in Adult Patients With Relapsed/Refractory Acute Lymphoblastic Leukemia (STANFORD)
10. **NCT01297543 - Phase II/I Safety Study of Human Myeloid Progenitor Cells (CLT-008) after Post-Remission Chemotherapy for Leukemia (STAFORD)**
11. NCT00868413 - Phase I Study of ABT-263 when Administered in Combination with Either Fludarabine/Cyclophosphamide/Rituximab or Bendamustine/Rituximab in Relapsed or Refractory Chronic Lymphocytic Leukemia (STANFORD)
12. **NCT00903422 - Phase I Trial using Eltrombopag Treatment of Thrombocytopenia in Subjects with Advanced Myelodysplastic Syndrome (MDS) or Secondary Acute Myeloid Leukemia After MDS (SAML/MDS) (GSK)**
13. NCT00911066 - Phase I Trial using MLN4924 for the Treatment of Acute Myelogenous Leukemia and High-Grade Myelodysplastic Syndrome (STANFORD)
14. **NCT01105247 - Phase I Safety and Tolerability Study of PCI-32765 in Chronic Lymphocytic Leukemia (STANFORD)**

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

2. Lymphoma

1. NCT00118209 - Phase III Study of Rituximab and Combination Chemotherapy in Treating Patients with Diffuse Large B-Cell Non-Hodgkin's Lymphoma (ECH, PAMF)
2. **NCT00127881 - Phase III Study of Human Monoclonal Antibody to Treat Mycosis Fungoides and Sezary Syndrome (STANFORD)**
3. NCT00790036 - Phase III Study of RAD001 Adjuvant Therapy in Poor Risk Patients with Diffuse Large B-Cell Lymphoma (DLBCL) of RAD001 vs. Matching Placebo after Patients have Achieved Complete Response with First-line Rituximab-Chemotherapy (PAMF)
4. **NCT01100502 - Phase III Study of Brentuximab Vedotin (SGN-35) in Patients at High Risk of Residual Hodgkin Lymphoma Following Stem Cell Transplant (The AETHERA Trial) (KP)**
5. NCT00026208 - Phase II Trial using Combination Chemotherapy Plus Low-Dose Radiation Therapy in Treating Patients with Stage I or Stage IIA Hodgkin's Lymphoma (STANFORD)
6. **NCT00099255 - Phase II Study of SGN-30 (anti-CD30 mAb) in Patients with Primary Cutaneous Anaplastic Large Cell Lymphoma (STANFORD)**
7. NCT00106431 - Phase II Single Agent Study of Depsipeptide (FK228) in the Treatment of Cutaneous T-Cell Lymphoma (STANFORD)
8. **NCT00185731 - Phase II Study of Atorvastatin Safety and Antitumor Effects in Non-Hodgkin's Lymphoma (STANFORD)**
9. NCT00490490 - Phase II Study of Bexxar Combined with External Beam Radiation Therapy for Patients with Relapsed, Bulky Non-Hodgkin's Lymphoma (STANFORD)
10. **NCT00490529 - Phase II Trial of a CPG-Activated Whole Cell Vaccine Followed by Autologous Immunotransplant for Mantle Cell Lymphoma (MCL) (STANFORD)**
11. NCT00880581 - Phase II Intratumoral Injection PF-3512676 Plus Local Radiation in Low-Grade B-Cell Lymphomas (STANFORD)
12. **NCT00896493 - Phase II Trial of Non-Myeloablative Allogeneic Transplantation using TLI & ATG in Patients with Cutaneous T Cell Lymphoma (STANFORD)**
13. NCT01145495 - Phase II Study of Lenalidomide and Rituximab in Treating Patients with Previously Untreated Stage II, Stage III, or Stage IV Follicular Non-Hodgkin Lymphoma (ECH, PAMF)
14. **NCT01216683 - Phase II Trial of Bendamustine Hydrochloride and Rituximab with or without Bortezomib Followed by Rituximab with or without Lenalidomide in Treating Patients with High-Risk Stage II, Stage III, or Stage IV Follicular Lymphoma (STANFORD)**
15. NCT01226472 - Phase II Extension Study in Subjects Who Relapsed After Complete Response on Study KW-0761-001 (STANFORD)
16. **NCT01236391 - Phase II Study of the Safety and Efficacy of PCI-32765 in Subjects With Relapsed/Refractory Mantle Cell Lymphoma (MCL) (STANFORD)**
17. NCT01325701 - Phase II Safety and Efficacy Study of Bruton's Tyrosine Kinase Inhibitor in Subjects with Relapsed or Refractory Diffuse Large B-cell Lymphoma (STANFORD)
18. **NCT00481832 - Phase II/I Study using Autologous Followed by Non-Myeloablative Allogeneic Transplantation for Non-Hodgkin's Lymphoma (STANFORD)**
19. NCT01187446 - Phase II/I Trial using Low-Dose (12 Gy) TSEBT+Vorinostat vs. Low-Dose TSEBT Monotherapy in Mycosis Fungoides (STANFORD)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

20. **NCT01289210 - Phase II/I Trial using VTX-2337 in Combination with Radiotherapy in Patients Low-Grade B-Cell Lymphomas (STANFORD)**
21. NCT01306643 - Phase II/I Safety and Efficacy Study of CAL-101 in Patients with Previously Untreated Low-Grade Lymphoma (STANFORD)
22. **NCT01088048 - Phase I Study to Investigate CAL-101 in Combination with Chemotherapeutic Agents and CD20 MAB in Patients with Relapsed or Refractory Indolent B-Cell Non-Hodgkin's Lymphoma or Chronic Lymphocytic Leukemia (STANFORD)**
23. NCT01134341 - Phase I Trial of Pralatrexate and Bexarotene in Patients with Relapsed or Refractory Cutaneous T-Cell Lymphoma (STANFORD)
24. **NCT01209130 - Phase I Study of the Safety and Pharmacokinetics of Escalating Doses of DCDT2980S in Patients with Relapsed or Refractory B-Cell Non-Hodgkin's Lymphoma and Chronic Lymphocytic Leukemia (STANFORD)**
25. NCT01309789 - Phase I Study of Brentuximab Vedotin Given Sequentially and Combined with Multi-Agent Chemotherapy for Anaplastic Large Cell Lymphoma (STANFORD)

3. Myeloma

1. NCT00644228 - Phase III Trial of Lenalidomide and Dexamethasone with or without Bortezomib in Treating Patients with Previously Untreated Multiple Myeloma (ECH, KP, PAMF)
2. **NCT00689936 - Phase III Study to Determine Efficacy and Safety of Lenalidomide Plus Low-Dose Dexamethasone vs. Melphalan, Prednisone, Thalidomide in Patients with Previously Untreated Multiple Myeloma (STANFORD)**
3. NCT01023308 - Phase III Study of Panobinostat or Placebo with Bortezomib and Dexamethasone in Patients with Relapsed Multiple Myeloma (STANFORD)
4. **NCT01109004 - Phase III Study of Stem Cell Transplant with Lenalidomide Maintenance in Patients with Multiple Myeloma (BMT CTN 0702) (STANFORD)**
5. NCT01169337 - Phase III Trial using Lenalidomide or Observation in Treating Patients with Asymptomatic High-Risk Smoldering Multiple Myeloma (ECH, PAMF)
6. **NCT01241500 - Phase III Randomized Study of ON 01910.Na in Refractory Myelodysplastic Syndrome Patients with Excess Blasts (ECH, KP, STANFORD, VMO)**
7. NCT00899847 - Phase II Study of Autologous Followed by Nonmyeloablative Allogeneic Transplantation Using TLI & ATG (STANFORD)
8. **NCT01023880 - Phase II/I Study to Determine the Maximum Tolerated Dose and Evaluate the Efficacy and Safety of CEP-18770 in Patients with Relapsed Multiple Myeloma Refractory to the Most Recent Therapy (STANFORD)**
9. NCT01114282 - Phase I Bortezomib (VELCADE) in Combo with Pralatrexate in Relapsed/Refractory MM (STANFORD)

Other

1. NCT00568633 - Phase III Study of Octreotide and Interferon Alfa-2B or Bevacizumab in Treating Patients with Metastatic or Locally Advanced, High-Risk Neuroendocrine Tumor (STANFORD)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org

2. **NCT00869206 - Phase III Trial using Zoledronic Acid in Treating Patients with Metastatic Breast Cancer, Metastatic Prostate Cancer, or Multiple Myeloma with Bone Involvement (ECH, PAMF, VMO)**
3. NCT00984282 - Phase III Study of Nexavar vs. Placebo in Locally Advanced/Metastatic RAI-Refractory Differentiated Thyroid Cancer (STANFORD)
4. **NCT0105833 - Phase III Trial of Sorafenib Tosylate with or without Doxorubicin Hydrochloride in Treating Patients with Locally Advanced or Metastatic Liver Cancer (KP)**
5. NCT01327521 - Phase III Study of Transarterial Chemoembolization vs CyberKnife for Recurrent Hepatocellular Carcinoma (STANFORD)
6. **NCT01387932 - Phase III Trial of HepaSphere/Quadrasphere Microspheres for Delivery of Doxorubicin for the Treatment of Hepatocellular Cancer (STANFORD)**
7. NCT00185640 - Phase II Trial of Allogeneic Transplantation using TL1 & ATG for Older Patients with Hematologic Malignancies (STANFORD)
8. **NCT00185757 - Phase II Study of Cytokine Induced Killer Cells as Post-Transplant Immunotherapy Following Allogeneic Hematopoietic Cell Transplantation (STANFORD)**
9. NCT00940225 - Phase II Study of Cabozantinib (XL184) in Adults with Advanced Malignancies (STANFORD)
10. **NCT01151761 - Phase II Study of SBRT & Chemo for Unresectable Cholangiocarcinoma Followed by Liver Transplantation (STANFORD)**
11. NCT01207492 - Phase II Trial using Nilotinib in Patients with Relapsed or Metastatic Pigmented Villonodular Synovitis/Tenosynovial Giant Cell Tumor/Diffuse-Type Giant Cell Tumor (STANFORD)
12. **NCT01364727 - Phase II Study of Amrubicin in Relapsed or Refractory Thymic Malignancies (STANFORD)**
13. NCT01391611 - Phase II Study of Pazopanib in Imatinib Refractory or Intolerant Gastrointestinal Stromal Tumors (GIST) (STANFORD)
14. **NCT00326417 - Phase II/I Study of Fludarabine-Based Conditioning for Severe Aplastic Anemia (STANFORD)**
15. NCT01020812 - Phase II/I Study of PII Combination SBRT with TACE for Unresectable Hepatocellular Carcinoma (STANFORD)
16. **NCT00708006 - Phase I Study of HGS1029 (AEG40826-2HCl) in Subjects With Advanced Solid Tumors (STANFORD)**
17. NCT01090414 - Phase I Extension Study for Patients who are Deriving Benefit with CAL-101 to Continue on Treatment at the End of the Current Study (STANFORD)
18. **NCT01155817 - Phase I Trial of Nilotinib in Steroid Dependent/Refractory Chronic Graft vs. Host Disease (STANFORD)**
19. NCT01209143 - Phase I Study of Pharmacokinetic Drug Interaction Study of the Hedgehog Pathway Inhibitor GDC-0449 in Combination with Rosiglitazone or Combined Oral Contraceptive in Patients with Locally Advanced or Metastatic Solid Tumors that are Refractory to Standard Therapy or for Whom No Standard Therapy Exists (STANFORD)

Contact Organizations:

Camino Medical Group, El Camino Hospital Cancer Center - ECH • GSK Investigational Site - GSK • Kaiser Permanente - KP • Palo Alto Medical Foundation - PAMF • Pfizer Investigational Site - PFIZER • South Bay Oncology/Hematology Medical Group - SBOH • Stanford Cancer Center, Stanford Heme Group, Stanford University Medical Center, Stanford University School of Medicine - STANFORD • Valley Medical Oncology - VMO • Veterans Affairs Medical Center - VAMC • Washington Township Hospital - WTH

CancerPACTS is an initiative of the Cancer Patients Alliance

Call (toll free) 1-888-729-0244

www.CancerPACT.org